Comprehensive Surgery

The impact of psychological factors on in vitro fertilization (IVF) outcomes: a comprehensive review

DArzu Yurci

Department of Obstetrics and Gynecology, Faculty of Medicine, İstanbul Arel University, İstanbul, Turkiye

Cite this article: Yurci A. The impact of psychological factors on in vitro fertilization (IVF) outcomes: a comprehensive review. *J Compr Surg.* 2024;2(2):35-38. Corresponding Author: Arzu Yurci, arzuyurci@yahoo.com

Received: 04/04/2024

Accepted: 04/05/2024

Published: 29/05/2024

ABSTRACT

This comprehensive review explores the significant impact of psychological factors on the outcomes of in vitro fertilization (IVF) treatments. Despite the advancements in medical technology enhancing the physical success rates of IVF procedures, the psychological well-being of individuals undergoing these treatments plays a crucial role in their overall effectiveness. This paper delves into the various psychological stressors faced by couples, including anxiety, depression, and stress, and their direct correlation with IVF treatment outcomes. By examining a wide range of studies, this review highlights the importance of psychological interventions and support systems in improving the success rates of IVF treatments. Furthermore, it discusses the current gaps in the literature and suggests directions for future research. The findings of this review underscore the necessity of integrating psychological care into fertility treatments to address the mental health needs of individuals undergoing IVF, thereby enhancing their quality of life and increasing the likelihood of successful outcomes. Through a detailed analysis of existing research and methodologies, this paper aims to contribute to the understanding of the psychosocial aspects of IVF and encourage the development of more holistic treatment approaches.

Keywords: IVF, psychological factors, fertility treatment, anxiety, depression, treatment outcomes

INTRODUCTION

In vitro fertilization (IVF) stands as a pivotal solution for countless individuals and couples grappling with infertility. This advanced reproductive technology involves extracting eggs, retrieving a sperm sample, and then manually combining an egg and sperm in a laboratory dish. The embryo(s) is subsequently transferred to the uterus, aiming to initiate a successful pregnancy. Since the inception of the first IVF baby in 1978, the procedure has undergone extensive advancements, integrating cutting-edge technologies and methodologies to augment success rates.¹

While the focus predominantly lies on the physical and medical facets of IVF, the psychological ramifications for individuals embarking on this intricate journey warrant considerable attention. The emotional and psychological stressors, including financial burdens, societal pressures, and the oscillation between hope and disappointment, significantly influence the treatment experience and outcomes.² Evidence suggests that psychological distress can profoundly affect IVF success rates, impacting physiological responses to treatment and influencing decisions regarding the continuation or termination of treatment efforts.³

The aim of this comprehensive review is to elucidate the complex interplay between psychological factors and IVF outcomes. This exploration into how stress, anxiety, depression, and coping strategies affect IVF success rates endeavors to underscore the critical need for psychological support and interventions within the IVF treatment protocol. Moreover, this paper seeks to highlight the lacunae in existing literature and chart future research directions, advocating for a holistic approach to fertility treatment that prioritizes both physical and psychological health.

This research extends its purview to assess the efficacy of psychological interventions, such as counseling and stress management techniques, in enhancing IVF outcomes. By amalgamating data from diverse studies, including quantitative and qualitative research as well as meta-analyses, this review aims to furnish a thorough perspective on the prevailing knowledge landscape in this domain.

Comprehending the psychological aspects of IVF is paramount in devising effective support mechanisms and interventions that can ameliorate the well-being of individuals undergoing



treatment, thereby potentially elevating IVF success rates. As infertility remains a formidable challenge for many, the amalgamation of psychological care into fertility treatments emerges as a crucial element of a comprehensive care paradigm. This review aspires to contribute to the ongoing discourse on the imperative of addressing the psychological needs of individuals and couples navigating the complexities of IVF, calling for a treatment paradigm that holistically addresses both the physical and emotional facets of fertility challenges.

Common Psychological Problems Observed in Couples Applying for In Vitro Fertilization Treatment

Couples undergoing IVF treatments frequently experience psychological distress, including anxiety, depression, and stress. The prevalence of anxiety and depression among individuals facing infertility is significantly higher compared to the general population, with reported rates of anxiety and depression among women undergoing fertility treatments ranging up to 40% and 30% in men.² The psychological impact of infertility and the stressors associated with the IVF process-such as the uncertainty of outcomes, financial burden, and societal pressures-contribute to these high levels of distress.⁴

The Effects of Psychological Factors on Treatment Outcomes

The interaction between psychological distress and IVF outcomes is a critical area of research. Studies have indicated that stress and anxiety may adversely affect the outcomes of fertility treatments, including reducing the chances of successful implantation and pregnancy.^{5,6} The mechanisms proposed include alterations in physiological processes such as hormonal imbalances and changes in immune function, which could impact embryo quality and implantation success.³

Gaps in the Existing Literature

While the link between psychological distress and IVF outcomes is recognized, there remains a paucity of research in several areas. Notably, longitudinal studies examining the psychological impact over multiple IVF cycles are scarce.⁷ The effectiveness of specific psychological interventions aimed at improving IVF outcomes needs further exploration through randomized controlled trials.⁸ Additionally, the psychological experiences of men undergoing IVF treatments are underrepresented in the literature, highlighting a significant gap in understanding the couple's experience as a whole.⁹

METHODS

The methodology employed in this comprehensive literature review was meticulously designed to encompass a broad spectrum of empirical and theoretical studies addressing the psychological factors influencing IVF treatment outcomes. The overarching goal was to synthesize a diverse array of scholarly works to discern patterns, identify gaps, and illuminate the multifaceted relationship between psychological distress and IVF success rates. This section delineates the systematic approach adopted in compiling relevant literature, including the databases searched, keywords utilized, and the criteria for study selection. Additionally, it outlines the types of studies examined, ranging from experimental and observational studies to meta analyses, to provide a holistic understanding of the subject matter.

Database Search and Keywords

A systematic search was conducted across multiple electronic databases recognized for their extensive repository of academic and clinical research in the fields of psychology, medicine, and social sciences. The primary databases included PubMed, PsycINFO, Scopus, and Web of Science, due to their comprehensive coverage of peerreviewed journal articles, conference proceedings, and other scholarly works pertinent to the topic. The search strategy employed a combination of keywords and MeSH terms tailored to capture the breadth of research on psychological factors and IVF outcomes. Key search terms included "in vitro fertilization," "IVF," "psychological stress," "anxiety," "depression," "mental health," "IVF outcomes," "fertility treatment success," and "psychosocial interventions." Boolean operators (AND, OR) were utilized to refine the search and ensure a comprehensive retrieval of relevant literature.

Selection Criteria

The inclusion criteria for studies in this review were defined to ensure the selection of high-quality and relevant research. Studies were considered eligible if they: (1) were published in peer-reviewed journals, (2) focused on the psychological aspects of IVF treatments, including psychological distress, interventions, and their impact on treatment outcomes, and (3) were conducted on human subjects undergoing IVF treatments. Both qualitative and quantitative studies were included to encompass a wide range of perspectives and methodologies.

Exclusion criteria were applied to maintain the review's focus and quality. Studies were excluded if they: (1) were not published in English, (2) focused solely on medical or biological aspects of IVF without addressing psychological factors, or (3) were case reports, editorials, or commentaries, given their limited empirical data.

Types of Studies Examined

To ensure a comprehensive understanding of the psychological factors affecting IVF outcomes, this review included a variety of study designs.

Experimental studies: Randomized controlled trials examining the efficacy of psychological interventions (e.g., counseling, cognitive-behavioral therapy, mindfulness-based stress reduction) on IVF success rates were included. These studies offer robust evidence on the causal relationships between interventions and outcomes.

Observational studies: Cohort, case-control, and crosssectional studies providing insights into the prevalence of psychological distress among IVF candidates and its correlation with treatment outcomes were reviewed. These studies contribute to understanding the association between psychological factors and IVF success rates in real-world settings.

Meta-analyses and systematic reviews: Meta-analyses and systematic reviews synthesizing the results of multiple studies were particularly valued for their ability to provide a high-level overview of existing research, assess the overall effectiveness of psychological interventions, and identify patterns and gaps in the literature.

RESULTS

The systematic review of the literature reveals significant insights into the impact of psychological factors on IVF success rates, elucidating the role of psychological support and interventions, and the potential effects of psychological stress on sperm/ova quality, embryo development, and implantation.

The analysis underscores the profound influence of psychological interventions on enhancing IVF outcomes. Studies within this review demonstrate that couples undergoing IVF who participated in psychological support programs, including counseling, stress management workshops, and cognitive-behavioral therapy, exhibited markedly lower levels of stress and anxiety.^{10,11} Furthermore, these psychological interventions were correlated with improved IVF success rates, evidenced by higher pregnancy rates and lower miscarriage rates among participants receiving such support compared to control groups.^{12,13}

The review highlights a range of strategies and methods employed to support the psychological health of couples undergoing IVF treatments. These include individual and couples counseling, group therapy sessions focused on stress reduction and emotional coping, and mindfulness-based stress reduction programs designed to enhance emotional well-being and resilience.^{14,15} Additionally, online support forums and telehealth psychological services have emerged as vital resources, offering accessibility and anonymity for those seeking support.¹⁶

Emerging research within the scope of this review suggests that psychological stress may have direct physiological effects on gamete quality, embryo development, and the implantation process. Studies have found correlations between high stress and anxiety levels with decreased sperm motility and concentration, as well as alterations in ova quality.^{17,18} Furthermore, elevated stress levels have been associated with reduced embryo quality and lower implantation rates, positing stress as a potential mediator in the physiological processes underlying successful IVF outcomes.^{19,20}

CONCLUSION

The intricate journey of IVF is a beacon of hope for many aspiring parents grappling with infertility, a path laden with not only medical but also significant psychological challenges. The synthesis of literature presented in this review underscores the profound impact of psychological factors on IVF outcomes and elucidates the critical role of psychological support and interventions in enhancing the success rates of these treatments. Furthermore, it brings to light the various strategies employed to bolster the psychological health of couples embarking on this arduous journey, as well as the potential physiological effects of psychological states on sperm/ova quality, embryo development, and implantation.

A cardinal finding of this review is the demonstrable benefit of psychological interventions, such as counseling, cognitivebehavioral therapy, and stress management techniques, in mitigating the emotional and psychological distress experienced by IVF candidates. These interventions not only foster a more positive psychological state but are also associated with improved IVF outcomes, indicating a bidirectional relationship between psychological well-being and treatment success. This revelation highlights the indispensability of integrating psychological care into fertility treatments, advocating for a holistic approach that addresses both the mental and physical aspects of fertility challenges.

Moreover, the exploration of strategies to support the psychological health of couples has revealed a multifaceted approach encompassing individualized counseling, support groups, and mindfulness practices. These methods provide a scaffold for couples, offering them the resilience and emotional fortitude needed to navigate the uncertainties of IVF treatments. The potential physiological effects of psychological factors on reproductive outcomes further accentuate the complexity of the fertility journey, suggesting that emotional states may influence biological processes critical to the success of IVF.

The findings of this review accentuate the paramount importance of understanding and managing psychological factors in the context of IVF treatments. The emotional and psychological dimensions of infertility and fertility treatments are inextricably linked to their medical counterparts, each influencing the other in a complex interplay that shapes the treatment experience and outcomes. Recognizing and addressing these psychological factors is not merely an adjunct to fertility treatments but a cornerstone of comprehensive care that can significantly enhance the likelihood of successful outcomes.

Future research should endeavor to fill the identified gaps in the literature, particularly concerning the long-term psychological impact of IVF, the effectiveness of specific psychological interventions, and the role of male psychological health in treatment outcomes. Longitudinal studies examining the cumulative effect of repeated IVF cycles on psychological wellbeing, randomized controlled trials assessing the efficacy of novel psychological interventions, and research exploring the psychological experiences of men in the context of IVF are urgently needed. Additionally, the influence of cultural and societal factors on psychological distress and IVF outcomes warrants further exploration, emphasizing the need for culturally sensitive approaches to care.

In conclusion, the integration of psychological support and interventions into IVF treatments offers a beacon of hope for enhancing treatment success and improving the overall well-being of individuals facing the challenges of infertility. As we move forward, a more nuanced understanding of the psychological aspects of IVF, coupled with a commitment to addressing these factors, will undoubtedly pave the way for more effective and compassionate fertility care.

ETHICAL DECLARATIONS

Referee Evaluation Process Externally peer-reviewed.

Conflict of Interest Statement

The authors have no conflicts of interest to declare.

Financial Disclosure

The authors declared that this study has received no financial support. Author Contributions: All of the authors declare that they have all participated in the design, execution, and analysis of the paper, and that they have approved the final version.

REFERENCES

- Palermo G, Joris H, Devroey P, Van Steirteghem AC. Pregnancies after intracytoplasmic injection of single spermatozoon into an oocyte. *Lancet*. 1992;340(8810):17-18.
- Boivin J, Griffiths E, Venetis CA. Emotional distress in infertile women and failure of assisted reproductive technologies: meta-analysis of prospective psychosocial studies. *BMJ*. 2011;342:d223.
- Lancastle D, Boivin J. Dispositional optimism, trait anxiety, and coping: unique or shared effects on biological response to fertility treatment? *Health Psychol*. 2005;24(2):171-178.
- Cousineau TM, Domar AD. Psychological impact of infertility. Best Pract Res Clin Obstetr Gynaecol. 2007;21(2):293-308.
- Smeenk JM, Verhaak CM, Vingerhoets AJ, et al. Stress and outcome success in IVF: the role of self-reports and endocrine variables. *Hum Reprod.* 2005;20(4):991-996.
- Klonoff-Cohen H, Chu E, Natarajan L, Sieber W. A prospective study of stress among women undergoing in vitro fertilization or gamete intrafallopian transfer. *Fertil Steril.* 2001;76(4):675-687.
- 7. Pasch LA, Gregorich SE, Katz PK, et al. Psychological distress and in vitro fertilization outcome. *Fertil Steril*. 2012;98(2):459-464.
- Hämmerli K, Znoj H, Barth J. The efficacy of psychological interventions for infertile patients: a meta-analysis examining mental health and pregnancy rate. *Hum Reprod Update*. 2009;15(3):279-295.
- Volgsten H, Skoog Svanberg A, Ekselius L, Lundkvist O, Sundström Poromaa I. Prevalence of psychiatric disorders in infertile women and men undergoing in vitro fertilization treatment. *Hum Reprod.* 2008;23(9):2056-2063. doi: 10.1093/humrep/den154
- Tavousi SA, Behjati M, Milajerdi A, Mohammadi AH. Psychological assessment in infertility: a systematic review and meta-analysis. *Front Psychol.* 2022;13:961722.
- 11. Li J, Long L, Liu Y, He W, Li M. Effects of a mindfulness-based intervention on fertility quality of life and pregnancy rates among women subjected to first in vitro fertilization treatment. *Behav Res Ther.* 2016;77:96-104.
- Sood A, Prasad K, Schroeder D, Varkey P. Stress management and resilience training among Department of Medicine faculty: a pilot randomized clinical trial. J Gen Intern Med. 2011;26(8):858-861.
- De Klerk C, Hunfeld JA, Duivenvoorden HJ, et al. Effectiveness of a psychosocial counselling intervention for first-time IVF couples: a randomized controlled trial. *Hum Reprod.* 2005;20(5):1333-1338.
- Lever Taylor B, Cavanagh K, Strauss C. The effectiveness of mindfulness-based interventions in the perinatal period: a systematic review and meta-analysis. *PLoS One*. 2016;11(5):e0155720.
- Tuil WS, Verhaak CM, Braat DD, de Vries Robbé PF, Kremer JA. Empowering patients undergoing in vitro fertilization by providing Internet access to medical data. *Fertil Steril.* 2007;88(2):361-368.
- Hamidzadeh A, Salehin S, Naseri Boori Abadi T, Chaman R, Mogharabian N, Keramat A. The effect of e-health interventions on meeting the needs of individuals with infertility: a narrative review. *Middle East Fertil Soc J.* 2023;28(1):12.
- Ramos-Ibeas P, Heras S, Gómez-Redondo I, et al. Embryo responses to stress induced by assisted reproductive technologies. *Mol Reprod Dev.* 2019;86(10):1292-1306.
- Bhongade MB, Prasad S, Jiloha RC, Ray PC, Mohapatra S, Koner BC. Effect of psychological stress on fertility hormones and seminal quality in male partners of infertile couples. *Andrologia*. 2015;47(3):336-342.
- Maroufizadeh S, Navid B, Omani-Samani R, Amini P. The effects of depression, anxiety and stress symptoms on the clinical pregnancy rate in women undergoing IVF treatment. *BMC Res Notes*. 2019;12(1):256.
- Gürbüz T, Tanrıdan Ökçu N, Gökmen O, Orhon E. The level of anxiety and depression in patients admitted to an infertility clinic. J Health Sci Med. 2020;3(3):240-244.